

M001-CEP

Rev. 5 31/03/2022

### **CERTIFICATION APPLICATION**

MANUFACTURER'S PERSONAL DATA								
Company name:								
Address (street, post code, town, region):								
Phone:				Fax	C:			
E-mail:				Website:				
Contact person:				Mobile:				
PRODUCTION SITE								
Name:								
Address:								
Phone:				Fa	x:			
E-mail:				We	ebsite:			
Contact person:				Мо	bile:			
ORGANIZATION STRUCTURE								
Number of people involved in the activity subject to certification:								
The organization has internal labs  YES				3	NO 🗖			
The organization has a certified management system YES			YES [	3	NO 🗖	underway <b>□</b>	scheduled	
Which one?	ISO 9001 <b>□</b>	FPC □		Oth	er:			
By which certifying	g body?:	how long:						
The organization has used advisors for the product/process preparation YES □ NO □						NO 🗖		
Name of such company or of the advisor:								



M001-CEP

Rev. 5 31/03/2022

#### **CERTIFICATION APPLICATION**

REQUIRED CERTIFICATION:						
CERTIFICATION SCHEME		LEVEL	Notes			
Ergonomic product certification	0	*	Compliance with ergonomic principles (Polytechnical standards – document assessment)			
		**	Previous level + Evidence-based anthropometric & biomechanic compliance (Biomedical area)			
		***	All the previous levels + Evidence-based usability (Usability area – ergonomic quality during use)			
		***	All the previous levels + Evidence-based user experience (User Experience area – ergonomic quality before and after use			
		****	All the previous levels + Human Centred Design certification (See following note)			
HCD (Human Centred Design) process certification		Specific design (ISO 9241-210)	The ErgoCert Technical Specification ST03.01 defines the procedures for the certification of the product/service DESIGN PROCESSES in a "Human Centred Design" (HCD) context, in order			
		Organization (ISO 9241-220)	to check the application of the reference standard principles (ISO 9241- 210:2010 - ISO 9241- 220:2019)			

(\*) **Note**: The obtainment of the "Human Centred Design" product design certification allows the addition of one star to the product ergonomic certification already obtained. To apply for the 5★ level Ergonomic product certification it is necessary to apply for the HCD process Certification as well.

**Note**: the description of the certification schemes and of the full certification procedure may be found in the "Certification regulation" available on the ErgoCert website: <a href="https://www.ergocert.it">www.ergocert.it</a>

The reference standards for each scheme may be found on the website.

Product/products or versions to certify: (Product trade name)	Is the product CE marked?	Product description (other documents may be attached at the manufacturer's discretion)
	YES • NO •	
	YES D NO D	

Please state the period when you would like the certification audit to be carried out:	
--	--



M001-CEP

Rev. 5 31/03/2022

### **CERTIFICATION APPLICATION**

Does the manufacturing of the proproduction site previously mention	ct to certific	ation	occur entirely	YES • NO •				
If <b>NOT</b> , specify below the other components are manufactured, component								
Manufacturer		Production	Production site			Component		
Date:	-			Manufa	acturer s	tamp and signature		
						amip and orginal		
	Section reserved to the certifying body							
APPLICATION REVIEW		OUTCOME (**)			Notes			
Is the information about the clien product sufficient to carry out the process?	YES NO							
Has the client correctly defined the certification?	YES D NO D							
Is the product certification request client covered by the accredited conscheme?	YES NO							
Are the resources sufficient to carry assessment activities?	YES D NO	0 🗖						
Is it necessary to draw up new and/or product technical specification	YES D NO	0 🗖						
Is it necessary to train and/or quassessors?	YES D NO	0 🗖						

<sup>(\*\*)</sup> **Note**: whether any integration of information or action about the body's resources may be necessary, specify this in the notes field.



M001-CEP

Rev. 5 31/03/2022

### **CERTIFICATION APPLICATION**

	SIGNATURE
Review carried out by:	